



PORCH
CONVERSATIONS

Product Sheets

Haga clic aquí para la versión en español
porchconversions.com/productsheet-español



Window sashes
are able to move
up or down



Vertical 2, 3, & 4 Track Windows

[Click for latest document version
porchconversions.com/productsheet-vertical](https://porchconversions.com/productsheet-vertical)

Window Width is 12"–65"

Window Height is 32"–110"

Screen Options



Standard

Great for letting in a cool breeze.



BetterVue®

Enhanced viewing



TuffScreen®

No-See-Um & pet protection

Vinyl Colors

More durable than glass, resists cracks, dents, and warping.



Clear



Light Gray



Dark Gray



Bronze

Adjustable Spreader Bar

Moves up to 1/8" to keep all spreader bars aligned.

Angled Bottom Sill

Channels water away to prevent moisture buildup inside

Frame Colors

Electrostatically applied paint ensures uniform coverage, long-lasting color, and superior weather resistance.



White



Tan



Clay



Bronze



Black

Equal-sized sashes for a consistent look

Vinyl Track Jamb

Ensures smooth and quiet operation of sashes. Comes in beige & black.

Mitered 45° Picture Frame Corners

No-Tools Sash Removal

Stainless steel constant-force sash springs make a secure fit while allowing easy removal.

All pieces discreetly labeled for easy maintenance & replacements

Fixed Lite Available

Rectangles & Trapezoids

Warranty Coverage

Backed by a limited warranty for peace of mind.

Easy Installation

No industry-unique tools required, making it installer and DIYer friendly.

Weather-Resistant Design

Each component is engineered for 3-season wind and rain resistance.

v 1.1.04



Horizontal 2 & 3 Sash Windows

[Click for latest document version
porchconversions.com/productsheet-horizontal](https://porchconversions.com/productsheet-horizontal)

Triple Sash 60"–144" wide

Double Sash 30"–96" wide

Window Height 20"–110"

25% more aluminum in frame for added stability

Screen Options



Standard

Great for letting in a cool breeze.



BetterVue®

Enhanced viewing



TuffScreen®

No-See-Um & pet protection

Custom Spreader Bar Locations Optional



Lock & Keeper

100% marine-grade composite for corrosion resistance.

Vinyl Colors

More durable than glass, resists cracks, dents, and warping.



Clear



Light Gray



Dark Gray



Bronze

Frame Colors

Electrostatically applied paint ensures uniform coverage, long-lasting color, and superior weather resistance.



White



Tan



Clay



Bronze



Black

Fixed Lite Available

Rectangles & Trapezoids

Mitered 45° Picture Frame Corners

All pieces discreetly labeled for easy maintenance & replacements

2-Track Heavy Duty Vinyl Roller System

Ensures smooth, quiet gliding using stainless steel axles and a nylon housing inside a vinyl track insert. Available in beige & black.

Internal weep system

Warranty Coverage

Backed by a limited warranty for peace of mind.

Easy Installation

No industry-unique tools required, making it installer and DIYer friendly.

Weather-Resistant Design

Internal weep system helps against moisture buildup.

v 1.1.04



Cabana Entry & French Doors

[Click for latest document version
porchconversions.com/productsheet-doors](https://porchconversions.com/productsheet-doors)



French door

Min Width 60" / Max width 84"

Screen Options



Standard

Great for letting in a cool breeze.



BetterVue®

Enhanced viewing



TuffScreen®

No-See-Um & pet protection

Vinyl Colors

More durable than glass, resists cracks, dents, and warping.



Clear



Light Gray



Dark Gray



Bronze

Anodized Aluminum Saddle Threshold

Provides a durable, low-profile entry.

Frame Colors

Electrostatically applied paint ensures uniform coverage, long-lasting color, and superior weather resistance.




White



Tan



Clay



Bronze



Black

80" height

Interlocked Sashes for Security

Uses stainless steel constant force sash springs for a secure, tool-free fit.



Mitered 45° Picture Frame Corners

Premium Locking System

Lever mortise handle locks in black, matte black, silver, oil-rubbed bronze.

Optional Adjustable Spreader Bar (up to 1/8")

Shipped Mostly Assembled for Easy Installation

Includes mounting hardware, handle, and closer.



All pieces discreetly labeled for easy maintenance & replacements

Warranty Coverage

Backed by a limited warranty for peace of mind.

Easy Installation

No industry-unique tools required, making it installer and DIYer friendly.

Weather-Resistant Design

Each component is engineered for 3-season wind and rain resistance.

v 1.1.04



Fixed Lite Lip & Trap Frames

[Click for latest document version
porchconversions.com/productsheet-fixedlites](https://porchconversions.com/productsheet-fixedlites)



Vinyl Colors

More durable than glass, resists cracks, dents, and warping.



Clear



Light Gray



Dark Gray



Bronze

OR

Screen Options




Standard

Great for letting in a cool breeze.



BetterVue®

Enhanced viewing



TuffScreen®

No-See-Um & pet protection

Lip Frames, traps, or "Fixed Lites", are non-moving openings that are made with either vinyl or screens, rather than both. Allowing maximum light, and fit perfectly to your space.


Rectangle

	Min W	Max W	Min H	Max H
Vinyl	4"	54"	4"	96"
Screen	4"	60"	6"	96"

Trapezoid

	Min W	Max W*	Max H*	Short leg	
				Min	Max
Vinyl	4"	84"	84"	4"	83.9"
Screen	4"	84"	84"	4"	83.9"

*Other dimension cannot exceed 52"



More Light, Less Frame

Once installed, only a fraction of the frame is visible. Leaving you with more view.



7/8" Flange

Makes installing over studs easier, even if they're slightly bowed or out of plumb.

→ 20% More Metal

Our frames use more aluminum than the rest for a stronger, longer lasting quality.

Frame Colors

Electrostatically applied paint ensures uniform coverage, long-lasting color, and superior weather resistance.




White



Tan



Clay



Bronze



Black

v 1.1.04

Product Comparison

	Vertical 2-Track	Vertical 3-Track	Vertical 4-Track	Double Slider	Triple Slider	French Door	Cabana Door
Min Height	28"	41"	54"	20"	20"	72"	72"
Max Height	52"	77"	110"	110"	110"	96"	96"
Min Width	12"	12"	12"	30"	60"	60"	32"
Max Width	65"	65"	65"	96"	144"	84"	42"
Track range	2-4	2-4	2-4	2	2	4	4
Angled Sill	✓	✓	✓				
Heavy duty frame				✓	✓		
Spreader bar min req	30" w	30" w	30" w	42" h	42" h	36" w	36" w
Custom spreader bar options	✓	✓	✓	✓	✓	✓	✓
Internal weep system				✓	✓		

Universal qualities

- **Frame colors**
 - White, Tan, Clay, Bronze, and Black
- **Screen options**
 - Standard, BetterVue, and TuffScreen
- **Electro-statically applied paint**
- **Color-matched screws**
- **Durable memory vinyl**
 - Clear, light grey, dark grey, bronze
- **Weather-resistant design**
- **7/8" flange**
- **Easy installation**
- **No-tool sash removal for easy cleaning and maintenance**

Porch Conversion’s Four-Track Vertical Vinyl Windows Limited Warranty

Porch Conversion warrants to the original resident purchaser that any unit is free of manufacturing and/or material defects. This warranty applies to the unit under normal use and service, subject to the conditions and limitations herein listed, and as long as the original resident purchaser resides in the home in which the units were installed. This warranty covers only those manufacturing and material defects as specified herein and does not include defects or damages attributable to improper installation, use or maintenance, normal weathering, highly corrosive environments defects caused by accident, fire, flood, acts of God, vandalism, riot or civil disorder, building settlement or structural failure of walls or foundations; stresses resulting from localized heat which causes excessive temperature differentials over vinyl surface edges or occurrences beyond Porch Conversions’ control. This warranty shall be null and void if harmful solvents are used to clean the aluminum frame and/or sash members, the vinyl glazing, or if the frame and/or sash members are painted or coated in any way; or if any other “aftermarket” products are applied.

ALUMINUM FRAME

The aluminum components of the frame/sash members are warranted to be free of defects in materials and workmanship for the lifetime of the windows. The powder coated paint finish is warranted against blistering, peeling, cracking or chipping from normal intended usage for a period of 10 years from the date of installation to the original purchaser.

VINYL GLAZING

The vinyl is warranted to be free of defects resulting in material obstruction of vision and cracking for a period of 10 years from the date of delivery by Porch Conversions. Provided vinyl is conditioned annually with the vinyl cleaner, vinyl has prevalent characteristics such as bubbles, blurs and hairline scratches. These are expected as they are inherent qualities.

SCREEN AND MOVING PARTS

The screen and moving parts shall be warranted for a period of (2) years on the material only from the date of delivery by Porch Conversions.

CLAIMS

Any claim for defects under this warranty must be submitted promptly after discovery to the dealer from whom the product was purchased. If you cannot locate your Porch Conversions dealer, you may write to Porch Conversions for assistance. Some states do not allow the exclusion or limitation of incidental consequential damages or the limitation of remedies for a breach of warranty, so the above limitations or exclusions may not apply to you. This warranty give you specific legal rights, and you may also have other rights that vary from state to state.

CARE AND CLEANING OF FLEXIGLAZE

Please remember—vinyl is NOT glass. Extreme care must be taken when cleaning your vinyl windows. Do not use any harsh cleaners or detergents. It is imperative that no formulas containing bleach or ammonia are used, including professional pressure cleaners. For best results, your windows need to be cool before washing. Make sure all dust and loose sand or grit has been removed from all areas of the frame and vinyl. This is best accomplished with the soft brush attachment of your vacuum cleaner. We recommend that you use specially formulated Vinyl Cleaner and Preservative. An acceptable alternative is a mild solution of Woolite and distilled water.

