



WINDOW/DOOR ORDER FORM

Email to: customerservice.pc@porchconversions.com | O: 704.762.1911 | F: 704.761.4674

Date Ship to address						Contact Name								
							Dealer number/name							
PO# /	Job na	me						Email						
DELIV	ERY 🗆	Resident	ial 🗖 C	ommer	cial		CUSTOM	ER PICKU	JP 🗆 \	∕es □ No				
FRAM	E COLO	R				S	CREEN T	YPE			Disclaime		s manufacturing tolorans	
□ White □ Tan □ Clay □ Bronze □ Black					black		For all windows and doors, manufacturing tole are +/- 1/8". It is recommended that when ord your windows "exact size", that you factor in a down size (width and height) from your openin				ended that when orderin ", that you factor in a ¼" ght) from your opening.			
FLEXIO	GLAZE I	MEMOR	Y VINY	L COL	OR .		Standar Great for lettir a cool bree.	g in Be	etterVue [©] tter visibility	No-See-Um & pet protection	Windows a Lip Frame V	ind Trapezoid Vindows 42" c 12" or higher, c	Windows 30" or wider, or wider, or wider, all Horizontal Sl and all door window inse	
□ Cled	ar 🗆	Light Gr	ay 🗖	Dark G	Gray 🗖 Bro	nze	HORIZONTAL TRIPLE SIDE SLIDER ONLY Select Configuration: □ Default ¼ ½ ¼ □ ⅓ ⅓ ⅓ ⅓			Inswing Doors are highly recommended to use a threshold. French Door kits come with astragal bar and note operating door location (OSLI). Note if any windows and doors will be mulled vertically an allow 2" for mull when calculating sizes - if unsure so PC Architectural Pack.				
TW - T	OF MEA win Unit units and	TR - Tri		ìeld mu	[lled)	_ ` `	deduction	from ordere				ndows, doors e looking in.	s, & trapezoids are	
	ertical Tra indows	ck			orizontal ouble Side Slide		Horizonto Triple Side					■ Lip Frame Trapezoid Windows		
QTY	TW/TR	Width	Height	QTY	Width x Heig	ght QTY	QTY Width		x Height QTY		ht (QTY Measurements (
					om spreader be urement from top fram		stom sprea asurement from							
						_ _				4 Track F	rench Doo	or		
			4 Trac	k Entr	/ Door					4 Huck H	elicii Do			
G	aty .		x Heigh		Door	Swings Ir	/Out?	QTY		Width x Height	Swin	gs In/Out	Primary L/R	
G	eTY .			t H		Swings Ir	n/Out?	QTY		Width x Height	Swin	gs In/Out	Primary L/R	
G	ΣΤΥ		x Heigh	t H		Swings Ir	n/Out?	QTY		Width x Height	Swin	gs In/Out	Primary L/R	
	ARD DO	Rough o	x Heigh	t H	inges R/L?	Swings Ir		QTY		Width x Height	Swin	gs In/Out	Primary L/R	



ACCESSORIES ORDER FORM

Email to: customerservice.pc@porchconversions.com

O: 704.762.1911 | **F:** 704.761.4674

Date	Contact Name
Ship to address	Dealer number/name
	Phone
PO# / Job name	Email

FRAME

Part Number	Illustration & Descripti	on Colors	Size	Quantity	Unit
	_	White			EA
	2"x2" extruc	Clay			
SRF-22	(9 ft.)	dea frame Tan			
	(711.)	Bronze			
	·	Black			
		White			EA
	1"x2" expar	Clay			
SRE-12	(9 ft.)	Tan			
	(7)	Bronze			
		Black			
		White			
	Combination	n lip frame Clay			
A-712	(8 ft.)	Tan			EA
	3 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	Bronze			
		Black			

PARTS

Part Number	Illustra	tion & Description	Colors	Size	Quantity
		Square Head Tek Screw (Self-tapping) #8 x ¾" 15/bag	White		
			Clay		
SDS-34	Annus		Tan		
	J 		Bronze		
			Black		
	NOTE SOME	Touch up paint	White	2oz	
			Clay		
PAINT			Tan		
			Bronze		
			Black		
VINCLEAN		Vinyl Cleaner		15oz	



SCREEN OPTIONS ORDER FORM

Email to: customerservice.pc@porchconversions.com

O: 704.762.1911 | **F:** 704.761.4674

Date	Contact Name
Ship to address	Dealer number/name
	Phone
PO# / Job name	Email

VINYL

Part Number	Illustration & Description	Colors	Size	UNIT
	FlexiGlaze Memory Vinyl	Clear		LN FT
VFILM-CL		Light Gray	F 411	
VFILM-GR VFILM-BZ		Dark Gray	54"	
, , , , , , , , , , ,		Bronze		
			12 pack	
4T CD\/	V-spline (for vinyl)		25 pack	
4T-SPV	4' stick		50 pack	
			100 pack	

SCREEN

Illustration & Desc	ription	Quantity	Bulk Quantity	
FIBERGLASS SCREEN	54"	Any Length	N/A	
(Charcoal)	72"	Any Length	N/A	
BETTERVUE®	54"	Any Length	N/A	
	72"	Any Length	N/A	
TUFFSCREEN® Rip resistance with	60"	Any Length	N/A	
No-See-Um protection. (Black)	72"	Any Length	N/A	
Flat Spline (For Screen)		Any Length	Full Roll (1000')	